

Understanding the interplay of increased pressure, residual heat and geologic and geochemical environment on radionuclide migration from underground nuclear tests

R. M. Maxwell, R. L. Detwiler, Q. Hu, A. F. B. Tompson

January 15, 2008

Computational Methods in Water Resources XVII, International Conference San Francisco, CA, United States July 6, 2008 through July 10, 2008

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

Computational Methods in Water Resources XVII, International Conference

San Francisco, CA, July 6-10, 2008

Special Session:

Fate and Transport of Radionuclides in the Environment: Unique Simulation Challenges

Understanding the interplay of increased pressure, residual heat and geologic and geochemical environment on radionuclide migration from underground nuclear tests

R.M. Maxwell, R.L. Detwiler, Q. Hu and A.F.B. Tompson. Lawrence Livermore National Laboratory, PO Box 808, Livermore California 94551

Understanding the processes that govern migration of radionuclides from underground nuclear tests is a problem of interest in many places in the world. Whether to gain understanding in the risks to human health, to guide water resources management decisions or as a surrogate for nuclear repository safety, there are a number of complex, coupled processes governing fate and form of radionuclides in the subsurface that need to be understood. These processes include the increased pore water pressure that is present after some underground nuclear tests, the residual heat signature from the nuclear detonation and the natural (i.e. pre-test) and altered (i.e. post-test) hydrogeologic and geochemical setting. We will focus on tests in saturated and unsaturated environments in Yucca Flat at the US Nevada Test Site. These tests all encompass a range of the aforementioned process interactions and provide insight into the broader context of understanding radionuclide migration from underground nuclear tests over a range of scale and environment.

This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

This work was performed in support of the National Nuclear Security Administration, Department of Energy, Nevada Site Office, Underground Test Area Project.